



## PATENT ABSTRACTS OF JAPAN

(11)Publication number : **05-297622**

(43)Date of publication of application : **12.11.1993**

(51)Int.Cl.

G03G 9/08

G03G 9/087

(21)Application number : **04-128005**

(71)Applicant : **FUJI XEROX CO LTD**

(22)Date of filing : **22.04.1992**

(72)Inventor : **MIKAMI TAKESHI**  
**IMAI TAKASHI**

### **(54) ELECTROPHOTOGRAPHIC TONER COMPOSITION AND IMAGE FORMING METHOD**

(57)Abstract:

**PURPOSE:** To provide the electrophotographic toner compsn. which can be fixed at a low temp. in a heat fixing system and has a good preservable property and, further, can prevent an offset in a heat roll fixing system and the image forming method using the toner compsn.

**CONSTITUTION:** This electrophotographic toner compsn. contains a capsule toner formed by using polyurea and/or polyurethane having  $\leq 150^{\circ}\text{C}$  glass transition point as the resin to constitute a resin shell, forming the resin shell to  $0.05\mu\text{m}$  to  $0.5\mu\text{m}$  average thickness and sealing a core material contg. at least a binder resin and coloring agent into the resin shell. An electrostatic latent image is formed on the photosensitive body and a toner image is formed by the electrophotographic toner compsn. The toner image obt'd. by transferring the toner image onto a transfer body is fixed by heat, by which the copied image is obt'd.

### **LEGAL STATUS**

[Date of request for examination] **08.09.1995**

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] **2827697**

[Date of registration] **18.09.1998**

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]